

Grundfos Super Brute vs TACO, Bell & Gossett and Armstrong

Competitor cross-reference					
Comparable Grundfos replacement options			Taco	Bell & Gossett	Armstrong
Pump type	Page	Speed	Model		
UPS 15 - 58FC/BRC	47	High	005, 007, 008, 0010-IFC	NRF - 22, LR - 20 WR	ASTRO 30
		Medium	005, 005 - IFC, 007 - IFC, 008, 008 - IFC, 0010 - IFC, 00R - IFC	NRF-9F / LW	ASTRO 25
		Low	005, 005 - IFC, 006, 006 - IFC	-	ASTRO 20
UPS 26 - 99FC/BFC	54	High	0011, 0013 -IFC, 0014	NRF-36 SP-2, NRF-45 SP-2	E7
		Medium	0011, 0011 -IFC, 0014, 0014 - IFC	Series 100, PL-30, PR, NRF-36 SP-1, NRF-45 SP-1	ASTRO 50, H41
		Low	-	LR-15 BWR	ASTRO 30
UPS 43 - 44FC/BFC	58	High	0012	HV	
		Medium	0010,0012 - IFC	NRF - 33	H 32
		Low	-	-	-

Grundfos provides no guarantee as to the accuracy of competitor information listed herein.

Grundfos Super Brute Stainless steel 115 V

Competitor cross-reference					
Comparable Grundfos replacement options			Taco	Bell & Gossett	Armstrong
Pump type	Page	Speed	Model		
UPS 15-35SFC	37	High	005-BF2, 005-BF2-1 IFC, 007-BF5, 007-BF5-1 IFC	NBF-12F/LW, SSF-12F/LW	Astro 30 2-Speed
		Medium			Astro 20BF, Astro 30 1-Speed
		Low			
UPS 15-35SUC	37	High		NBF-12U/LW, SSF-12U/LW	Astro 25BU
		Medium	006-BC4-1, 006-B7-IFC	NBF-9U/LW	Astro 25BU
		Low	003-B4-2-IFC		
UPS 15-35SUC/TLC	37	High			Astro 25BU-T
		Medium			Astro 25BU-T
		Low			
UPS 15-55SFC	45	High			Astro 30BF
		Medium	008-BF6, 008-BF6-1 IFC, 008-BC6-IFC, 00R-BF6-IFC	NBF-22, SSF-22	Astro 30 3-Speed
		Low			Astro 30 1-Speed, Astro 50 1-Speed
UPS 15-55SUC	45	High			
		Medium		NBF-22U, SSF-22U	
		Low			
UPS 15-55SUC/TLC	45	High			
		Medium			
		Low			

Grundfos provides no guarantee as to the accuracy of competitor information listed herein.

Comfort pump

Competitor cross-reference				
Comparable Grundfos replacement options (Comfort)			Laing pumps*	
Pump type	Page	Connections	Pump type	Connections
UP 10-16B5/LC	27	1/2 sweat/cord	SM303BS	1/2 sweat
UP 10-16BN5/LC	27	1/2 thread/cord	SM303BT	1/2 thread
UP 10-16B5/LC	27	1/2 sweat/cord	SM303BSW	1/2 sweat/cord
UP 10-16BN5/LC	27	1/2 thread/cord	SM303BTW	1/2 thread/cord
UP 10-16B5/ATLC	27	1/2 sweat/stat/cord/timer	SM303BSC	1/2 sweat/stat
UP 10-16BN5/ATLC	27	1/2 thread/stat/cord/timer	SM303BTC	1/2 thread/stat
UP 10-16B5/ATLC	27	1/2 sweat/stat/cord/timer	SM303BSCW	1/2 sweat/stat/cord
UP 10-16BN5/ATLC	27	1/2 thread/stat/cord/timer	SM303BTCW	1/2 thread/stat/cord
UP 10-16B5/TLC	27	1/2 sweat/cord/timer	SMT303BS	1/2 sweat/timer
UP 10-16BN5/TLC	27	1/2 thread/cord/timer	SMT303BT	1/2 thread/timer
UP 10-16B5/TLC	27	1/2 sweat/cord/timer	SMT303BSW	1/2 sweat/cord/timer
UP 10-16BN5/TLC	27	1/2 thread/cord/timer	SMT303BTW	1/2 thread/cord/timer
UP 10-16B5/ATLC	27	1/2 sweat/stat/cord/timer	SMT303BSC	1/2 sweat/stat/timer
UP 10-16BN5/ATLC	27	1/2 thread/stat/cord/timer	SMT303BTC	1/2 thread/stat/timer
UP 10-16B5/ATLC	27	1/2 sweat/stat/cord/timer	SMT303BSCW	1/2 sweat/stat/cord/timer
UP 10-16BN5/ATLC	27	1/2 thread/stat/cord/timer	SMT303BTCW	1/2 thread/stat/cord/timer

* Laing pump information taken from literature on Laing website August 2002.
Grundfos provides no guarantee as to the accuracy of competitor information listed herein.

TACO

Competitor cross-reference						
Open systems: Stainless steel and bronze body pumps						
Comparable Grundfos replacement options				Taco pumps*		
Primary model (s)	Page	Conn. type	Pump length	Model	Conn. type	Pump length
UP 15-10B5	28	1/2" sweat	5	003-BC	1/2" sweat	4-13/32
UP 15-10B7	-	3/4" sweat	6 3/8	003-B	3/4" sweat	4-1/4
UPS 15-42SU SPD1	-	1 1/4" U	5 7/8	003-BC-1	1" U	6
UP 15-42SF	-	Flange	6 1/2	005-BF2	Fling-R	6-3/8
UP 15-18B5	32	1/2" sweat	5	006-BC4	1/2" sweat	4-1/4
UP 15-18B7	32	3/4" sweat	6 3/8	006-B4	3/4" sweat	4-13/32
UP 15-18SU	-	1 1/4" U	5 7/8	006-BC4-1	1" U	5-15/16
UP 25-64SF	-	Flange	6 1/2	007-BF5	Fling-R	6-3/8
UP 25-64SF	-	Flange	6 1/2	007-BF5 opt	Flange	6-3/8
UP 15-42B7	38	3/4" sweat	6 3/8	008-BC6	3/4" sweat	6-3/8
UP 25-64SF	-	Flange	6 1/2	008-BF6	Fling-R	6-3/8
UP 26-96BF	51	Flange	6 1/2	009-BF5	Flange	6-3/8
UP 26-99BF	53	Flange	6 1/2	0011-BF4	Flange	6-1/2
UP 43-44BF	57	Flange	8 1/2	0012-BF4	Fling-R	8-1/2
UP 26-116BF (230V)	-	Flange	6 1/2	0013-BF3	Flange	6-1/2
UP 43-75BF	59	Flange	8 1/2	0014-BF1	Fling-R	6-1/2
Bronze body pumps with integrated check valve						
UP 15-18BUC5	33	1/2" sweat	6 1/2	006-BC7-1IFC	1/2" sweat	4-3/8
UP 15-18BUC7	33	3/4" sweat	7 3/4	006-BC7-IFC	3/4" sweat	4-3/8
Closed systems: Cast iron body pumps						
UPS 15-58FR SPD2	47	Fling-R	6 1/2	005-F2	Fling-R	6-3/8
UPS 15-42FR SPD2	44	Fling-R	6 1/2			
UPS 15-58FR	47	Fling-R	6 1/2	007-F5	Fling-R	6-3/8
UPS 15-42FR	44	Fling-R	6 1/2			
UP 15-42FR	42	Fling-R	6 1/2			
UPS 15-58F	-	Flange	6 1/2	007-F5 opt	Flange	6-3/8
UPS 15-42F	44	Flange	6 1/2			
UP 15-42F	42	Flange	6 1/2	008-F6	Fling-R	6-3/8
UPS 15-58FR	47	Fling-R	6 1/2			
UPS 15-42FR	44	Fling-R	6 1/2			
UP 15-42FR	42	Fling-R	6 1/2			
UP 15-100F	48	Flange	6 1/2	009-F5	Flange	6-3/8
UP 26-99F	51	Flange	6 1/2	0011-F4	Flange	6-1/2
UP 43-44F	57	Flange	8 1/2	0012-F4	Fling-R	8-1/2
UP 50-44F	61	2" Fling	8 1/2	0012-F4-1	2" Fling-R	8-1/2
UP 26-116F (230 V)	55	Flange	6 1/2	0013-F3	Flange	6-1/2
UP 26-64F	49	Flange	6 1/2	0014-F1	Fling-R	6-1/2
Cast iron body pumps with integrated check valve						
UPS 15-58FRC SPD2	47	Fling-R	6 1/2	007-F5-IFC	Fling-R	6-3/8
UPS 15-58FRC SPD1	47	Fling-R	6 1/2	005-IFC	Fling-R	6-3/8
UPS 15-58FRC SPD2	47	Fling-R	6 1/2	007-IFC	Fling-R	6-3/8
UPS 15-58FRC SPD3	47	Fling-R	6 1/2	008-IFC	Fling-R	6-3/8
UPS 15-58FRC SPD3	47	Fling-R	6 1/2	0010-IFC	Fling-R	6-3/8

* Taco pump information taken from literature on Taco website August 2002.
Grundfos provides no guarantee as to the accuracy of competitor information listed herein.

Bell & Gossett

Competitor cross-reference						
Open systems: Stainless steel and bronze body pumps						
Comparable Grundfos replacement options				Bell & Gossett		
Primary model(s)	Page	Conn. type	Pump length	Model	Conn. type	Pump length
UP 15-10B5	28	1/2" sweat	5	NBF-8S/LW	1/2" sweat	5
UP 15-18SU	-	1 1/4" U	5 7/8	NBF-9U/LW	1 1/4" U	6-1/8
UP 15-18B5	32	1/2" sweat	5	NBF-10S/LW	1/2" sweat	5
UP 15-42SU	-	1 1/4" U	5 7/8	NBF-12U/LW	1 1/4" U	6-1/8
UP 15-42SF	-	Flange	6 1/2	NBF-12F/LW	Fling-R	6-3/8
UP 15-42B5	38	1/2" sweat	5	NBF-18S	1/2" sweat	5
UP 25-64SU	-	1 1/4" U	5 7/8	NBF-22U	1 1/4" U	6-1/8
UP 25-64SF	-	Flange	6 1/2	NBF-22	Fling-R	6-3/8
UP 25-64SF	-	Flange	6 1/2	LR-15B	Flange	6-3/8
UP 43-44BF	57	Flange	8 1/2	Series HV B	Fling-R	8-1/2
UP 26-96BF	51	Flange	6 1/2	Series PR B	Fling-R	8-1/2
UP 26-96BF	51	Flange	6 1/2	PL30B	Flange	6-3/8
UP 26-116BF (230 V)	55	Flange	6 1/2	PL36B	Flange	6-1/2
Closed systems: Cast iron body pumps						
UP 15-10FR	30	Fling-R	6 1/2			
UPS 15-58FR SPD1	47	Fling-R	6 1/2	NRF-9F/LW	Fling-R	6-3/8
UPS 15-42FR SPD1	44	Fling-R	6 1/2			
UPS 15-58FR	47	Fling-R	6 1/2			
UP 15-42FR	42	Fling-R	6 1/2	NRF-22	Fling-R	6-3/8
UPS 15-42FR	44	Fling-R	6 1/2			
UPS 15-58F	-	Flange	6 1/2			
UP 15-42F	42	Flange	6 1/2	LR-20BF	Flange	6-3/8
UPS 15-42F	44	Flange	6 1/2			
UP 43-44F	57	Flange	8 1/2	Series HV	Fling-R	8-1/2
UP 26-64F	49	Flange	6 1/2	Series PR	Fling-R	8-1/2
UP 50-44F	61	2" Fling	8 1/2	2"	2" Fling-R	8-1/2
UP 26-64F	49	Flange	6 1/2	PL30	Flange	6-3/8
UP 26-116F (230 V)	55	Flange	6 1/2	PL36	Flange	6-3/8
UP 50-44F	61	2" Fling	8 1/2	PL75	2" Fling	8 1/2

* B&G pump information taken from literature on B&G website August 2002.
Grundfos provides no guarantee as to the accuracy of competitor information listed herein.

ARMSTRONG

Competitor cross-reference						
Open systems: Stainless steel and bronze body pumps						
Comparable Grundfos replacement options				Armstrong pumps*		
Primary model(s)	Page	Conn. type	Pump length	Model	Conn. type	Pump length
UP 15-10B5	28	1/2" sweat	5	Astro20B1/2S	1/2" sweat	5
UP 15-10B7	28	3/4" sweat	6 3/8	Astro20B3/4S	3/4" sweat	5
UP 15-18SU	-	1 1/4" U	5 7/8	Astro20BU	1 1/4" U	6
UP 15-18B5	32	1/2" sweat	5	Astro25B1/2S	1/2" sweat	5
UP 15-18B7	32	3/4" sweat	6 3/8	Astro25B3/4S	3/4" sweat	5
UP 15-42SU	-	1 1/4" U	5 7/8	Astro25BU	1 1/4" U	6
UP 25-64SF	-	Flange	6 1/2	Astro30	Fling-R	6-3/8
UP 25-64SF	-	Flange	6 1/2	Astro50B	Fling-R	6-3/8
UP 43-44BF	57	Flange	8 1/2	H32B	Fling-R	8-9/16
Closed systems: Cast iron body pumps						
UPS 15-58FR	47	Fling-R	6 1/2	Astro30	Fling-R	6-3/8
UP 15-42FR	42	Fling-R	6 1/2			
UPS 15-42FR	44	Fling-R	6 1/2			
UP 26-64F	49	Flange	6 1/2	Astro50	Fling-R	6-3/8
UP 43-44F	57	Flange	8 1/2	H32	Fling-R	8-9/16
UP 50-44F	61	2" Fling	8 1/2	S35	2" Fling-R	8-1/2

* Armstrong pump information taken from literature on Armstrong website August 2002. Grundfos provides no guarantee as to the accuracy of competitor information listed herein.

LAING

Competitor cross-reference						
Open systems: Stainless steel and bronze body pumps						
Comparable Grundfos replacement options				Laing pumps*		
Model(s)	Page	Conn. type	Pump length	Model	Conn. type	Pump length
UP 15-18B5	32	1/2" sweat	5	SM-909-BS 1/2-14	1/2" sweat	6
UP 15-18B7	32	3/4" sweat	6 3/8	SM-909-BS 3/4-14	3/4" sweat	6
UP 15-42SF	-	Flange	6 1/2	SM-909-BF 14	Flange	6-1/2
UPS 15-42SF	-	Flange	6 1/2			
UP 15-42B5	38	1/2" sweat	5	SM-909-BS 1/2	1/2" sweat	6
UP 15-18B7	32	3/4" sweat	6 3/8	SM-909-BS 3/4	3/4" sweat	6
UP 15-42SF	-	Flange	6 1/2	SM-909-BF	Flange	6-1/2
UPS 15-42SF	-	Flange	6 1/2			
UP 25-64SF	-	Flange	6 1/2	SM-909-BF-26	Flange	6-1/2
UP 26-96BF	51	Flange	6 1/2	SM-1212-BF-26	Flange	6-1/2

Grundfos provides no guarantee as to the accuracy of competitor information listed herein.